


EJSCREEN Report (Version 2017)



1 mile Ring Centered at 42.972174,-87.879664, WISCONSIN, EPA Region 5

Approximate Population: 14,981 Input Area (sq. miles): 3.14

Selected Variables	State Percentile	EPA Region Percentile	USA Percentile						
EJ Indexes									
EJ Index for PM2.5	65	58	42						
EJ Index for Ozone	68	58	44						
EJ Index for NATA* Diesel PM	46	47	34						
EJ Index for NATA* Air Toxics Cancer Risk	65	58	46						
EJ Index for NATA* Respiratory Hazard Index	46	45	36						
EJ Index for Traffic Proximity and Volume	28	21	17						
EJ Index for Lead Paint Indicator	30	24	14						
EJ Index for Superfund Proximity	57	47	35						
EJ Index for RMP Proximity	18	12	8						
EJ Index for Hazardous Waste Proximity	51	47	37						
EJ Index for Wastewater Discharge Indicator	N/A	81	76						



This report shows the values for environmental and demographic indicators and EJSCREEN indexes. It shows environmental and demographic raw data (e.g., the estimated concentration of ozone in the air), and also shows what percentile each raw data value represents. These percentiles provide perspective on how the selected block group or buffer area compares to the entire state, EPA region, or nation. For example, if a given location is at the 95th percentile nationwide, this means that only 5 percent of the US population has a higher block group value than the average person in the location being analyzed. The years for which the data are available, and the methods used, vary across these indicators. Important caveats and uncertainties apply to this screening-level information, so it is essential to understand the limitations on appropriate interpretations and applications of these indicators. Please see EJSCREEN documentation for discussion of these issues before using reports.

December 27, 201 1/3



EJSCREEN Report (Version 2017)



1 mile Ring Centered at 42.972174,-87.879664, WISCONSIN, EPA Region 5

Approximate Population: 14,981 Input Area (sq. miles): 3.14



Sites reporting to EPA					
Superfund NPL	0				
Hazardous Waste Treatment, Storage, and Disposal Facilities (TSDF)	0				

December 27, 201 2/3



EJSCREEN Report (Version 2017)



1 mile Ring Centered at 42.972174,-87.879664, WISCONSIN, EPA Region 5

Approximate Population: 14,981 Input Area (sq. miles): 3.14

Selected Variables	Value	State Avg.	%ile in State	EPA Region Avg.	%ile in EPA Region	USA Avg.	%ile in USA			
Environmental Indicators										
Particulate Matter (PM 2.5 in µg/m³)	9.58	8.96	70	10.1	25	9.14	57			
Ozone (ppb)	37.8	38.7	28	37.6	48	38.4	49			
NATA* Diesel PM (µg/m³)	0.802	0.656	68	0.932	<50th	0.938	50-60th			
NATA* Cancer Risk (lifetime risk per million)	29	29	54	34	<50th	40	<50th			
NATA* Respiratory Hazard Index	1.9	1.3	89	1.7	60-70th	1.8	60-70th			
Traffic Proximity and Volume (daily traffic count/distance to road)	300	300	73	370	73	590	69			
Lead Paint Indicator (% Pre-1960 Housing)	0.67	0.37	81	0.39	79	0.29	86			
Superfund Proximity (site count/km distance)	0.065	0.13	46	0.13	55	0.13	52			
RMP Proximity (facility count/km distance)	2	0.88	86	0.81	89	0.73	91			
Hazardous Waste Proximity (facility count/km distance)	0.047	0.071	55	0.091	48	0.093	46			
Wastewater Discharge Indicator (toxicity-weighted concentration/m distance)	0	1.2	N/A	4.2	29	30	40			
Demographic Indicators										
Demographic Index	23%	24%	65	29%	54	36%	37			
Minority Population	20%	18%	74	25%	61	38%	39			
Low Income Population	27%	30%	51	33%	46	34%	42			
Linguistically Isolated Population	2%	2%	76	2%	69	5%	54			
Population With Less Than High School Education	10%	9%	68	11%	59	13%	50			
Population Under 5 years of age	6%	6%	52	6%	51	6%	49			
Population over 64 years of age	16%	15%	60	14%	62	14%	65			

^{*} The National-Scale Air Toxics Assessment (NATA) is EPA's ongoing, comprehensive evaluation of air toxics in the United States. EPA developed the NATA to prioritize air toxics, emission sources, and locations of interest for further study. It is important to remember that NATA provides broad estimates of health risks over geographic areas of the country, not definitive risks to specific individuals or locations. More information on the NATA analysis can be found at: https://www.epa.gov/national-air-toxics-assessment.

For additional information, see: www.epa.gov/environmentaljustice

EJSCREEN is a screening tool for pre-decisional use only. It can help identify areas that may warrant additional consideration, analysis, or outreach. It does not provide a basis for decision-making, but it may help identify potential areas of EJ concern. Users should keep in mind that screening tools are subject to substantial uncertainty in their demographic and environmental data, particularly when looking at small geographic areas. Important caveats and uncertainties apply to this screening-level information, so it is essential to understand the limitations on appropriate interpretations and applications of these indicators. Please see EJSCREEN documentation for discussion of these issues before using reports. This screening tool does not provide data on every environmental impact and demographic factor that may be relevant to a particular location. EJSCREEN outputs should be supplemented with additional information and local knowledge before taking any action to address potential EJ concerns.

December 27, 201 3/3